

# MLRF Lecture 03

J. Chazalon, LRDE/EPITA, 2021

# Local feature descriptors

Lecture 03 part 02

# Introduction

Local feature **detectors** give us the same feature under several perturbations: perspective, illumination, blur...

Local feature descriptors will associate a **vector to each local feature**.

Such description vector should be:

- **Compact** – to enable fast indexing and matching
- **Discriminative** – to enable object recognition
- **Robust to perturbations** – to tolerate real conditions

We will focus on two widely used descriptors for their pedagogical interest:


- **HoG** (Histogram of gradients), used in SIFT
- **BRIEF** (Binary Robust Independent Elementary Features), used in ORB

# HoG

(Histogram of Gradients)

# HoG: Algorithm overview

1. (optional) global image normalization
2. compute the gradient image in x and y
3. compute gradient histograms
4. normalise across blocks
5. flatten into a feature vector
6. (quantify to integers)




# HoG: Example

Input image



Histogram of Oriented Gradients



# HoG summary

## Pros

Very stable over illumination changes,  
perspective changes, blur

## Cons

Slow to compute.

Quite large (128 bytes for original SIFT)

# BRIEF

(Binary Robust Independent  
Elementary Features)




# BRIEF

Very spiky otherwise,  
like derivatives.

General idea:

1. Sample pairs of points  $\{p(x), p(y)\}$  in the **smoothed** keypoint neighborhood
2. Compute a simple **binary test**:  $p(x) < p(y)$
3. Accumulate the results of  $n_d$  tests to form a **binary vector of  $n_d$  bits** (256 in ref.)



# BRIEF: sampling strategies


G I:  $(x_i, y_i) \sim$  i.i.d. Uniform $(-S/2, +S/2)$

G II:  $(x_i, y_i) \sim$  i.i.d. Gaussian $(0, 1/_{25} S^2)$

G III:  $x_i \sim$  i.i.d. Gaussian $(0, 1/_{25} S^2)$   
 $y_i \sim$  i.i.d. Gaussian $(x_i, 1/_{100} S^2)$

G IV:  $(x_i, y_i)$  randomly sampled from discrete locations of a coarse polar grid introducing a spatial quantization.

G V:  $x_i = (0,0)$   
 $y_i$  takes all possible values on a coarse polar grid containing  $n_d$  points.





**What is the best approach?**

# BRIEF: sampling strategies

G II:  $(x_i, y_i) \sim \text{i.i.d. Gaussian}(0, 1/25 S^2)$

Random sampling around the center.



# BRIEF summary

## Pros

Very fast to compute

Very fast to match  
(SSE acceleration for Hamming distance)

Very compact to store

## Cons

Less robust than HoG (SIFT), DoH (SURF) on several real cases.

# Invariance checks

# Rotation invariance


Add an angle measure!

Take the main gradient orientation.  
(Take the average around the keypoint.)



⇒ We now have for each keypoint:

- Coordinates
- **Orientation**

⇒ Descriptor: computed over **normalized patch**



A keypoint



Main patch orientation

# Scale invariance



Multi scale feature detection and computation:

- Add a keypoint for each relevant scale
- Possibly several keypoints at the same position!


⇒ We now have for each keypoint:

- Coordinates
- Orientation
- **Scale**

⇒ Descriptor: computed on a **scaled patch**



# (Reminder: Gaussian's sigma vs window size)







# Illumination invariance

SIFT approach:

1. normalize the vector  
⇒ Solves Affine but what non-linear sources like camera saturation?



2. Cap the vector elements to 20% (!) and renormalize  
⇒ Now we have some illumination invariance




# Viewpoint invariance

Well, mostly...

Better, but more complex approaches can tolerate extreme viewpoint change.

See, for instance:


J.-M. Morel and G. Yu, "ASIFT: A New Framework for Fully Affine Invariant Image Comparison," *SIAM Journal on Imaging Sciences*, vol. 2, no. 2, pp. 438–469, Jan. 2009.



# Complete pipelines

# SIFT (Scale invariant feature tr.)

1. Construct Scale Space
2. Take Difference of Gaussians
3. Locate DoG Extrema
4. Sub Pixel Locate Potential Feature Points
5. Filter Edge and Low Contrast Responses
6. Assign Keypoints Orientations
7. Build Keypoint Descriptors
8. Matching, etc.



# ORB (oriented FAST and rotated BRIEF)

1. Use FAST in pyramids to detect stable keypoints
2. Select the strongest features using FAST or Harris response
3. Finds their orientation using first-order moments
4. Computes the descriptors using BRIEF  
where the coordinates of random point pairs  
are rotated according to the measured orientation

# Conclusion about feature extraction

Selection of appropriate features:

- It is a **critical** decision
- Depends on the **specific** application

Features must:

- Be **invariant** to data variations (depending on the application):  
rotation, perspective, noise, blur, shape distortion, illumination, compression...
- Have **low dimensionality** for fast training, matching, reasonable storage

Features determine the **type of information** to work with:

- gray-level, binary, color image,
- contours, vectorization, skeleton

Features also determine the **type of classifier / indexer** (next part of the lecture).